

## PUBLICATIONS

1. Riazuddin S, Castelein CM, Ahmed ZM, Lalwani AK, Mastroianni MA, **Naz S**, Smith TN, Liburd NA, Friedman TB, Griffith AJ, Riazuddin S, Wilcox ER (2000). Dominant modifier DFNM1 suppresses recessive deafness DFNB26. *Nat Genet* 26: 431-434.
2. Wilcox ER, Burton QL, **Naz S**, Riazuddin S, Smith TN, Ploplis B, Belyantseva I, Ben-Yosef T, Liburd NA, Morell RJ, Kachar B, Wu DK, Griffith AJ, Riazuddin S, Friedman TB (2001). Mutations in the gene encoding tight junction claudin-14 cause autosomal recessive deafness DFNB29. *Cell* 104: 165-172.
3. Ben-Yosef T, Wattenhofer M, Riazuddin S, Ahmed ZM, Scott HS, Kudoh J, Shibuya K, Antonarakis SE, Bonne-Tamir B, Radhakrishna U, **Naz S**, Ahmed Z, Riazuddin S, Pandya A, Nance WE, Wilcox ER, Friedman TB, Morell RJ (2001). Novel mutations of TMPRSS3 in four DFNB8/B10 families segregating congenital autosomal recessive deafness. *J Med Genet* 38: 396-400.
4. Liburd N, Ghosh M, Riazuddin S, **Naz S**, Khan S, Ahmed Z, Riazuddin S, Liang Y, Menon PS, Smith T, Smith AC, Chen KS, Lupski JR, Wilcox ER, Potocki L, Friedman TB (2001). Novel mutations of MYO15A associated with profound deafness in consanguineous families and moderately severe hearing loss in a patient with Smith-Magenis syndrome. *Hum Genet* 109: 535-541.
5. Kurima K, Peters LM, Yang Y, Riazuddin S, Ahmed ZM, **Naz S**, Arnaud D, Drury S, Mo J, Makishima T, Ghosh M, Menon PS, Deshmukh D, Oddoux C, Ostrer H, Khan S, Riazuddin S, Deininger PL, Hampton LL, Sullivan SL, Battey JF Jr, Keats BJ, Wilcox ER, Friedman TB, Griffith AJ (2002). Dominant and recessive deafness caused by mutations of a novel gene, TMC1, required for cochlear hair-cell function. *Nat Genet* 30: 277-284.
6. **Naz S**, Giguere CM, Kohrman DC, Mitchem KL, Riazuddin S, Morell R, Ramesh A, Srisailpaatahy S, Deshmukh D, Riazuddin S, Griffith AJ, Friedman TB, Smith RJH, Wilcox ER (2002). Hearing loss in DFNB6 families associated with mutations in a novel gene, TMIE. *Am J Hum Genet* 71: 632-636.
7. Park HJ, Shaikat S, Liu XZ, Hahn SH, **Naz S**, Ghosh M, Kim HN, Moon SK, Abe S, Tukamoto K, Riazuddin S, Kabra M, Erdenetungalag R, Radnaabazar J, Khan S, Pandya A, Usami SI, Nance WE, Wilcox ER, Riazuddin S, Griffith AJ (2003). Origins and frequencies of SLC26A4 (PDS) mutations in east and south Asians: global implications for the epidemiology of deafness. *J Med Genet* 40: 242-248.
8. **Naz S**, Alasti F, Mowjoodi A, Riazuddin S, Sanati MH, Friedman TB, Griffith AJ, Wilcox ER, Riazuddin S (2003). Distinctive audiometric profile associated with DFNB21 alleles of TECTA. *J Med Genet* 40: 360-363.
9. **Naz S**, Griffith AJ, Riazuddin S, Hampton LL, Battey JF, Khan SN, Riazuddin S, Wilcox ER, Friedman TB (2004). Mutations of ESPN cause autosomal recessive deafness and vestibular dysfunction. *J Med Genet* 41: 591-595.

10. Belyantseva IA, Boger ET, **Naz S**, Frolenkov GI, Sellers JR, Ahmed ZM, Griffith AJ, Friedman TB (2005). Myosin-XVa is required for tip localization of whirlin and differential elongation of hair-cell stereocilia. *Nat Cell Biol* 7: 148-156.
11. Riazuddin S, Khan SN, Ahmed ZM, Ghosh M, Caution K, Nazli S, Kabra M, Zafar AU, Chen K, **Naz S**, Antonellis A, Pavan WJ, Green ED, Wilcox ER, Friedman PL, Morell RJ, Riazuddin S, Friedman TB (2006). Mutations in TRIOBP, encoding a putative cytoskeletal organizing protein, are associated with nonsyndromic recessive deafness. *Am J Hum Genet* 78: 137-143.
12. Malik S, Kakar N, Hasnain S, Ahmad J, Wilcox ER, **Naz S** (2010). Epidemiology of Van der Woude Syndrome from mutational analyses in affected patients from Pakistan. *Clin Genet* 78: 247-256.
13. Bashir R, Fatima A, **Naz S** (2010). A frameshift Mutation in SANS results in atypical Usher syndrome. *Clin Genet* 78: 601-603.
14. Bashir R, Fatima A, **Naz S** [**Naz S, Co-first author**] (2010). Mutations in CLDN14 are associated with different hearing thresholds. *J Hum Genet* 55: 767-770.
15. Arif B, Grünewald A, Fatima A, Ramirez A, Ali A, Brüggemann N, Würfel J, Rolfs A, Lohmann K, Malik A, Klein C, **Naz S** (2011). An unusual neurological syndrome of crawling gait, dystonia, pyramidal signs and limited speech. *Mov Disord* 26:2279-2283.
16. Bashir R, Fatima A, **Naz S** (2012). Prioritized sequencing of the second exon of MYO15A reveals a new mutation segregating in a Pakistani family with moderate to severe hearing loss. *Eur J Med Genet* 55:99-102.
17. Imtiaz A, **Naz S** (2012) A rapid and cost-effective protocol for screening known genes for autosomal recessive deafness. *Pak J Zool* 44:641-647.
18. Mujtaba G, Bukhari I, Fatima A, **Naz S** (2012). A p.C343S missense mutation in PJKV causes progressive hearing loss. *Gene* 504: 98-101.
19. **Naz S**, Fatima A. [**Naz S, corresponding author**] (2013). Amplification of GC-rich DNA for high throughput family based genetic studies. *Mol Biotechnol* 53:345-350.
20. Bashir R, Imtiaz A, Fatima A, Alam A, **Naz S** (2013). c.42\_52del11 mutation in TPRN and progressive hearing loss in a family from Pakistan. *Biochem Genet* 51:350-357.
21. Arif B, Kumar KR, Seibler P, Franke F, Fatima A, Winkler S, Nürnberg G, Thiele H, Nürnberg P, Jamil AZ, Brüggemann, A, Abbas G, Klein C, **Naz S**, Lohmann K (2013). A novel OPA3 mutation revealed by exome sequencing: An example of reverse phenotyping *JAMA Neurol* 70:783-787.
22. Khan MR, Bashir R, **Naz S** (2013). SLC26A4 mutations in patients with moderate to severe hearing loss. *Biochem Genet* 51:514-523.

23. Bukhari I, Mujtaba G, **Naz S** (2013). Contribution of GJB2 mutations to hearing loss in Hazara division of Pakistan. *Biochem Genet* 51:524-529.
24. Doss S, Lohmann K, Seibler P, Arns B, Klopstock T, Zühlke C, Freimann K, Winkler S, Lohnau T, Drungowski M, Nürnberg P, Wiegers K, Lohmann E, **Naz S**, Kasten M, Bohner G, Ramirez A, Endres M, Klein C (2014). Recessive dystonia-ataxia syndrome in a Turkish family caused by a COX20 (FAM36A) mutation *J Neurol* 261:207-212.
25. Malik S, Wilcox ER, **Naz S** (2014) Novel lip pit phenotypes and mutations of IRF6 in Van der Woude Syndrome patients from Pakistan. *Clin Genet* 85:487-491.
26. Imtiaz A, Kohrman DC, **Naz S** (2014) A frameshift mutation in GRXCR2 causes recessively inherited hearing loss *Hum Mutat* 35:618-624.
27. Bashir R, Sanai M, Azeem A, Altaf I, Saleem F, **Naz S** (2014) Contribution of GLC3A locus to primary congenital glaucoma in Pakistani population. *Pak J Med Sci* 30:1341-1345.
28. Salman M, Bashir R, Imtiaz A, Maqsood A, Mujtaba G, Iqbal M, **Naz S** (2015) Mutations of GJB2 Encoding Connexin 26 contribute to nonsyndromic moderate and severe hearing loss in Pakistan. *Eur Arch Otorhinolaryngol* 272:2071-2075.
29. Mujtaba G, Schultz JM, Imtiaz A, Morell RJ, Friedman TB, **Naz S** (2015). A mutation of MET, encoding hepatocyte growth factor receptor, is associated with human DFNB97 hearing loss. *J Med Genet* 52:548-552.
30. Bashir R, Tahir H, Yousaf K, Naz S, **Naz S** (2015). Homozygous p.G61E mutation in a consanguineous Pakistani family with co-existence of Juvenile-onset open angle and primary congenital glaucoma. *Gene* 570:295–298.
31. Imtiaz A, Maqsood A, Rehman AU, Morell RJ, Holt JR, Friedman TB, **Naz S** (2016) Recessive mutations of *TMC1* associated with moderate to severe hearing loss *Neurogenet* 17:115-123.
32. Lohmann K, Schlicht F, Svetel M, Hinrichs F, Zittel S, Graf J, Lohnau T, Schmidt A, Mir P, Krause P, Lang AE, Jabusch HC, Wolters A, Kamm C, Zeuner KE, Altenmüller E **Naz S**, Chung SJ, Kostic VS, Münchau S, Kühn AA, Brüggemann N, Klein C (2016). The role of mutations in COL6A3 in isolated dystonia. *J Neurol* 263:730-4.
33. **Naz S**, Imtiaz A, Mujtaba G, Maqsood A, Bashir R, Bukhari I, Khan MR, Ramzan M, Fatima A, Rehman AU, Iqbal M, Chaudhry T, Lund M, Brewer CC, Morell JR, Friedman TB **[Naz S corresponding author]** (201X) Genetic causes of moderate to severe hearing loss point to modifiers. *Clin Genet* (in press) DOI:10.1111/cge.12856
34. Iqbal M, Muhammad N, Ali SA, Kostjukovits S, Makitie O, **Naz S** The Finnish founder mutation c.70 A>G in *RMRP* causes cartilage-hair hypoplasia in a Pakistani family. *Clin Dysmorph* DOI: 10.1097/MCD.000000000000155

## EDITED BOOK WITH CHAPTER

1. **Naz S** (2012). Genetics of nonsyndromic recessively inherited moderate to severe and progressive deafness in humans in **"Hearing Loss"** editor **Naz S**, Intech, Croatia. Chapter 12, pp 247-274. (ISBN 979-953-307-271-4)

## SELECTED ABSTRACTS

1. **Naz S**, Riazuddin S, Riazuddin S, Griffith AJ, Friedman TB, Wilcox ER (2002). In American Society of Human Genetics Annual Meeting, Baltimore, MD, USA. A mutation of ESPN causes autosomal recessive nonsyndromic hearing loss, *DFNB36*. Program No: 1995.
2. **Naz S**, Griffith AJ, Sanati MH, Wilcox ER, Riazuddin S, Friedman TB (2005). In 18<sup>th</sup> FAOBMB Symposium on Genomics and Proteomics in Health and Agriculture, Lahore, Pakistan. Clinical indicators for genetic diagnosis of nonsyndromic hearing loss. S-VII-D.
3. **Naz S**, Mahmood S, Malik A (2007). In 1<sup>st</sup> symposium of Microbiology & Molecular Genetics (MMG), PU, on Genomics, Proteomics and Metabolomics: Recent Trends in Biotechnology, Lahore, Pakistan. Overview and Molecular Characterization of Dystonia in Pakistan. PL-6.
4. Richards E, Malik S, Egbert B, Ferguson A, Wilcox D, Lalwani A, **Naz S**, Wilcox E. (2008) in 58<sup>th</sup> Annual meeting of the American Society of Human Genetics, 11-15 November, Philadelphia, PA, USA. Linkage analysis of nonsyndromic cleft lip with or without cleft palate in a consanguineous Pakistani family. Program No. 1670.
5. **Naz S**, Arif B, Fatima A, Klein C. Characterization of Dystonia in Consanguineous Families from Pakistan at "52<sup>nd</sup> Annual Short Course on Medical and Experimental Mammalian Genetics" (19<sup>th</sup> July 2011), The Jackson Laboratory, Bar Harbor, Maine, **USA**.
6. **Naz S**, Imtiaz A, Bashir R, Mujtaba G, Maqsood A, Morell RJ, Friedman TB. at 11<sup>th</sup> Biennial Conference of Pakistan Society for Biochemistry and Molecular Biology, (25-27 November, 2013). Lahore, **Pakistan**. The Genetics of Moderate to Severe Hearing Loss in Pakistan (p38).
7. Imtiaz A, Bashir R, Mujtaba G, Maqsood A, Bukhari I, Rehman AU, Morell RJ, Friedman TB, **Naz S** (2014) in 64<sup>th</sup> Annual meeting of the American Society of Human Genetics, 18-22 November, San Diego, CA, USA. Alleles of the reported deafness genes are major contributors to the etiology of moderate to severe hearing loss in Pakistani population. Program No: 2946T
8. Koschmidder E, Brænne I, Arif B **Naz S**, Hinderlich S, Klein C, Lohmann K (2015) in 2015 European Human Genetics Conference, 6-9 June, Glasgow, Scotland, UK. GNE variants in a family with a complex neurological syndrome Program No: PS10.15