

Application of Generalized Fuzzy TOPSIS in Decision Making for Neutrosophic Soft Set to Predict the Champion of FIFA 2018: A Mathematical Analysis

Muhammad Saeed
Department of Mathematics,
University of Management and Technology, Lahore, Pakistan.
Email: muhammad.saeed@umt.edu.pk

Muhammad Saqlain
Department of Mathematics,
Lahore Garrison University, Lahore, Pakistan.
E-mail: msaqlain@lgu.edu.pk

Muhammad Riaz
Department of Mathematics,
University of the Punjab Lahore, Pakistan.
Email: mriaz.math@pu.edu.pk

Received: 06 March, 2019 / Accepted: 28 May, 2019 / Published online: 01 July, 2019

Abstract. Predicting the outcomes of soccer matches is curious to numerous; from fans to supporters. Prediction about the outcomes of soccer matches is also very exciting and enticing as a research problem, especially due to its complications, exertion, unexpected inferences etc. Consequently, a soccer match is relying upon various factors, actors and unpredictable situations. Therefore, it is very agonizing and uphill task to predict the meticulous and close to truth-based results of soccer matches. Such a research demands a multi-criteria decision-making approach, i.e. TOPSIS, to foresee accurate ranking and applied to the fallouts of FIFA 2018 world cup soccer matches explicitly. The match statistics have been used up to quarter finals, to make better estimates for the impending games. Outcomes proved prediction of approximately right ranking and outcomes of matches are substantially higher than those of reported through other means.

AMS (MOS) Subject Classification Codes: 03B52; 90B50; 94D05.

Key Words: English Football Association League (EFAL), FIFA, Football, MCDM, Prediction, TOPSIS

1. INTRODUCTION

Soccer is possibly the World's pre-prominent diversion, so it isn't shocking that there has been a lot of research on soccer expectations. Truly, among all games, soccer forecast is a standout amongst the most comprehensively and strongly explored zone. These examinations commonly treat with scientific/factual portrayals or methodologies however there are a few explore dependent on Artificial Intelligence (AI) strategies [20].

Voluminous researchers proposed their models for the prediction of soccer matches results. Their mythologies reveal that their proposed techniques can be used for the forecast of soccer matches. The number of models and mythologies are suggested by the researchers, like, Poisson Regression Models (PRM), Strategic Regression (SR) which demonstrates the intra-match winning probability and many more are used to study the results of soccer matches [4, 5, 7, 8, 15]. A large portion of these operations give certain expectations too, however, they are progressively mindful on the measurable investigation of the results of soccer matches. Crowder [4] implement his model to forecast, English Soccer Association League (EFAL) by using Poisson Regression Models (PRM)[5]. Statistical study in the prediction of soccer is also used in many investigations. Such a study, requires genuine information, for the implementation of the proposed technique. Statistical procedures are indistinguishable to many AI approaches. They utilize slight learning/data and are profoundly founded on unadulterated arithmetical models, for example, the probit model and Poisson models [9, 10, 13, 16, 17]. Some other works utilized models or strategies that are additional dependent on the information or knowledge of soccer matches [4, 10, 12, 13, 36]. Machine learning or AI-based techniques are normally used to forecast the soccer results, which include, Bayesian Learning (BL), Decision Tree (DT), Naive Bayesian Learning (NBL), Expert Bayesian Network (EBN) and K-nearest neighbor [7, 11, 14, 20, 22].

Smarandache [38] introduced Neutrosophic set - a generalization of the intuitionistic fuzzy set. Maji [19] introduced the idea of Neutrosophic soft set. Riaz and Naeem [23, 24] presented some essential ideas of soft sets together with soft sigma algebra. They additionally displayed a few utilizations of soft mappings to the decision making problems (DMP). Riaz and Hashmi [25, 26, 27] investigated certain applications of FPFS-sets, FPFS-topology and FPFS-compact spaces. They investigated fixed point theorems of FNS-mapping with applications to the DMP. Riaz *et al.* [28, 29] introduced soft rough topology with multi-attribute group decision making problems (MAGDM). Riaz *et al.* [30] introduced N-soft topology and its applications to multi-criteria group decision making (MCGDM). Riaz and Tahrir [31, 32, 33] established the idea of bipolar fuzzy soft topology and cubic bipolar fuzzy ordered weighted geometric aggregation operators and their application using internal and external cubic bipolar fuzzy data. They presented various illustrations and decision-making applications of these concepts by using different algorithms. Riaz *et al.* [34] studied impact of water hardness in instinctive laundry system based on fuzzy logic controller.

TOPSIS method for decision making problems have been studied by many researchers: Adeel *et al.* [1], Akram and Arshad [2], Boran *et al.* [3], Eraslan and Karaaslan [6], Kumar and Garg [18], Peng and Dai [21], Selvachandran and Peng [37], Xu and Zhang [39] and Zhang and Xu [40].

Related researches have offered some clashing decisions about the dissimilarities in the

execution, among successful and failed teams throughout official matches. Consequently, the point of this research is to predict the outcomes of forthcoming soccer matches using MCDM technique and prediction related research based on current stats has been done.

In daily life issues for a suitable explanation of an entity in an uncertain and vague environment, we need to grip the indeterminate and incomplete information. But fuzzy sets (FS's) and intuitionistic fuzzy sets (IFS's) don't knob the indeterminant and erratic information. The notion of Neutrosophic set (NS) was defined by [38] which is a mathematical implementation for dealing with problems connecting imprecise and erratic information. The concept of soft set (SS) & NS was together by [19] presenting a new concept called Neutrosophic soft set (NSS) and gave an application of NSS in MCDM or MADM problems. By implementing the proposed technique results are predicted. Saqlain *et. al.* [35] predicted the CWC 2019 by using the TOPSIS technique of MCDM.

In this paper, the Generalized Fuzzy TOPSIS technique of MCDM is suggested to forecast the soccer matches the outcome of the last FIFA world cup 2018. To this end, some significant measures which theoretically affect the match outcomes are required. Consequently, a wide-ranging database of match statistics of the world cup is used up to quarterfinal matches.

2. MATERIAL AND METHOD

The match related to arithmetical data, which is studied in this research is openly accessible from the FIFA website <https://www.fifa.com/> (FIFA, 2018). The stats of group stage match, of the 2018 FIFA World Cup is used to implement the proposed MCDM technique, the attributes of each team, which are used: shots, shots on target, fouls, offsides, yellow cards, red cards, corners, with possession of the ball and percentage of ball possession in each match played.

2.1. FIFA. International Federation of Association Football (FIFA) is an organization that describes itself as an international governing body of association football. FIFA is responsible for the organization of football's major international tournaments.

2.2. Sport Expert. The persons who have perfect knowledge about the soccer game. Those who know which attributes play an important role during the game like goals, corners, offsides, red cards, yellow cards, etc. are given the name sports expert. On behalf of their knowledge about the game, these persons are considered for the selection of attributes as taken in Table 2.

2.3. Opta. Opta Sports, formerly Opta Sports data, is an international sports analytics company based in the United Kingdom. Opta provides data for 30 sports in 70 countries, with clients ranging from leagues to broadcasters and betting websites. Opta debuted its current real-time data collection process for soccer matches in 2006, leading to an expansion in new data offerings across different sports.

2.4. TOPSIS. The Technique for Order of Preference by Similarity to Ideal Solution (TOPSIS) is a multi-criteria decision analysis method, which was originally developed by [23] in 1981.

2.5. Generalized Fuzzy TOPSIS. Based on the two operations Up and Lo, the FMCGDM method being the generalized TOPSIS in a fuzzy environment is presented in [22]. Now we give an Algorithm for TOPSIS and Generalized TOPSIS based on neutrosophic soft set, used to predict FIFA 2018.

2.6. Algorithm. The graphical representation of the technique used is given in Figure 1.

3. NUMERICAL CALCULATIONS

After setting prediction parameters and collecting required data than with proposed technique match results of the last world cup would be predictable. As eight top teams i.e. (Knockout Period) comprised of URUGUAY, RUSSIA, BRAZIL, SWEDEN, ENGLAND, FRANCE, CROATIA, BELGIUM have a chance to win the world cup. This research is done by considering the top eight teams from the Knockout period in future this research can be extended from eight to more teams. Initially, eight teams were considered for the calculations, in the future, these calculations can be applied to the statistics of the whole teams participating in the FIFA.

A prediction representative of the soccer, Opta predicted the percentage of winning the FIFA 2018 before the world cup is shown in Table 1.

Team	A_1	A_2	A_3	A_4	A_5	A_6	A_7	A_8
Prediction % by Opta	3.1	1.9	13.2	1.9	2.1	9.9	1.9	4

TABLE 1. Prediction % percentage by Opta for Knockout teams

In the Opta model, each team has an attacking and defensive strength calculated based on past performances. Given these attacking and defensive strengths and several other World Cup-specific variables for each game we can assign a likelihood to each potential result (either team to win or a draw). The graphical representation of the Opta is in Figure 2.

3.1. Prediction by TOPSIS Technique. The Technique for Order of Preference by Similarity to Ideal Solution (TOPSIS) is a multi-criteria decision analysis method. To apply the TOPSIS technique we need following data or information.

- (1) Alternatives
- (2) Attributes
- (3) Attribute Values
- (4) Weights

The match related to arithmetical data, which studied in this research is openly accessible from the FIFA website <https://www.fifa.com/> (FIFA, 2018). To implement the proposed MCDM technique, the subsequent actions (attributes) of the teams are systematized. Table: 2 shows the statistics.




FIGURE 1. Algorithm for the prediction of Champion of FIFA 2018.




FIGURE 2. Percentage of winning the FIFA 2018 given by Opta




FIGURE 3. Attribute, alternatives and FIFA 2018 statistics up to quarter-final which is considered for the calculations

Teams	C_1	C_2	C_3	C_4	C_5	C_6	C_7	C_8
A_1	61	18	2	63	3	0	0	82
A_2	46	26	7	95	6	1	1	76
A_3	103	42	9	50	7	0	0	88
A_4	55	16	6	65	8	0	0	76
A_5	83	21	3	93	12	0	1	83
A_6	96	39	15	72	8	0	1	87
A_7	115	40	9	114	15	0	2	82
A_8	46	39	8	99	11	0	0	87

TABLE 2. Attribute and alternatives of FIFA 2018 up to quarter final which is considered for the calculations

Teams	A_1	A_2	A_3	A_4	A_5	A_6	A_7	A_8
Weights	0.2	0.1	0.4	0.05	0.01	0.001	0.1	0.139

TABLE 3. weights which are assigned by the sports experts to the attributes




FIGURE 4. Weights which are assigned by the sport experts to the attributes

The graphical representation of the statistics is shown in Figure 3.

Weights which are assigned by sport experts are shown in Table 3.

In daily life issues for a suitable explanation of an entity in the uncertain and vague environment, we need to grip the indeterminate and incomplete information, especially when they involve a large set of attributes that require decision-makers to develop rankings. Graphical representation of weights which are assigned by sport experts are shown in Figure: 4

3.2. TOPSIS Technique.

Step 1: Construct the Normalized Decision Matrix by using:

$$r_{ij} = \frac{x_{ij}}{\sqrt{\sum_{i=1}^m x_{ij}^2}}$$

Step 2: Construct the Weighted Normalized Decision Matrix: $V_{ij} = w_j r_{ij}$

Step 3: Determine Ideal and Negative-Ideal Solutions:

$$A^+ = \{V_1, \dots, V_n\}$$

$$A^- = \{V_1, \dots, V_n\}$$

Step 4: Calculate the Separation Measure:

(1) Ideal Separation:

$$S_i^+ = \sqrt{\sum_{j=1}^n (V_{ij} - V_j^+)^2} \quad i = 1, 2, 3, \dots, m$$

(1) Negative Ideal Separation:

$$S_i^- = \sqrt{\sum_{j=1}^n (V_{ij} - V_j^-)^2} \quad i = 1, 2, 3, \dots, m$$

Step 5: Calculate the Relative Closeness to the Ideal Solution:

$$C_i^* = \frac{S_i^-}{(S_i^+ + S_i^-)}, 0 < C_i^* < 1, \quad i = 1, 2, 3, \dots, m.$$

$C_i^* = 1$, if $A_i = A^+$ and $C_i^* = 0$, if $A_i = A^-$

Step 6: Rank the preference order a set of alternatives, can now be preference ranked according to C_i^* are shown in Table: 4.

S_i^+	S_i^-	C_i^*	Result – rank Team	
0.032124	0.297466	0.902535	8	URUGUAY
0.091397	0.204687	0.691313	6	RUSSIA
0.165902	0.133734	0.446323	3	BRAZIL
0.066375	0.222928	0.770569	5	SWEDEN
0.060273	0.267291	0.815996	7	ENGLAND
0.274337	0.035194	0.1137	1	FRANCE
0.176975	0.12929	0.422151	2	CROATIA
0.121585	0.183462	0.601422	4	BELGIUM

TABLE 4. TOPSIS technique calculation results

3.3. Generalized Fuzzy TOPSIS. Definition 1: A Fuzzy Neutrosophic set (FN set) \mathcal{A} over the universe of discourse \mathcal{X} is defined as

$$\mathcal{A} = \langle x, T_{\mathcal{A}}(x), I_{\mathcal{A}}(x), F_{\mathcal{A}}(x) \rangle, x \in \mathcal{X} \text{ where } T, F, I : \mathcal{X} \rightarrow [0, 1]$$

and $0 \leq T_{\mathcal{A}}(x) + I_{\mathcal{A}}(x) + F_{\mathcal{A}}(x) \leq 3$.

Definition 2: Let \mathcal{X} be the initial universal set and \bar{E} be a set of parameters. Consider a non-empty set \mathcal{A} , $\mathcal{A} \subset \bar{E}$. Let $\mathcal{F}(\mathcal{X})$ denote the set of all FN sets of \mathcal{X} .

Fuzzy Sets (FS's) are not as useful while dealing with uncertainty and vague environment. Neutrosophic Set (NS's) is the mathematical implementation for dealing with problems connecting imprecise and erratic information. So, in this section, Neutrosophic soft set (NSS) is considered for the calculations.

Let $U = \{A_1, A_2, A_3, A_4, A_5, A_6, A_7, A_8\}$ be the set of alternatives as shown in Table 5, and consider $E = \{C_1, C_2, C_3, C_4, C_5, C_6, C_7, C_8\}$ be a set of attributes as shown in Table 6.

Teams	Actual Rank
A_1 =URUGAY	6
A_2 =RUSSIA	7
A_3 =BRAZIL	5
A_4 =SWEDEN	8
A_5 =ENGLAND	4
A_6 =FRANCE	1
A_7 =CROATIA	2
A_8 =BELGIUM	3

TABLE 5. Set of Alternatives as A_i

Representation	Attribute
C_1	Goal Attempt
C_2	Corner
C_3	Off side play
C_4	Fouls
C_5	Yellow Cards
C_6	Red Cards
C_7	Penalty Corneres
C_8	Passing %

TABLE 6. Set of attributes as C_i

Step 1: Assigned the suitable rating in terms of a linguistic variable by the experts for each criterion.

Step 2: Assigning suitable rating in terms of Neutrosophic Soft Sets (NSS's) to each linguistic variable by the experts for each criterion as shown in Table 7 and Table 8.

Step 3: Now find

$$A^- = (G^-_1, G^-_2, \dots, G^-_5) \text{ and } A^+ = (G^+_1, G^+_2, \dots, G^+_5)$$

$$G^+_1 = (0.78, 0.90, 0.69); G^-_1 = (0.31, 0.50, 0.22)$$

	A_1	A_2	A_3	A_4
C_1	(0.41, 0.7, 0.59)	(0.31, 0.5, 0.69)	(0.67, 0.9, 0.33)	(0.38, 0.6, 0.62)
C_2	(0.47, 0.3, 0.53)	(0.65, 0.63, 0.35)	(1.0, 0.93, 0.1)	(0.49, 0.61, 0.51)
C_3	(0.15, 0.3, 0.85)	(0.45, 0.6, 0.55)	(0.6, 0.8, 0.4)	(0.41, 0.49, 0.59)
C_4	(0.43, 0.9, 0.57)	(0.63, 0.7, 0.37)	(0.35, 0.3, 0.65)	(0.44, 0.2, 0.56)
C_5	(0.21, 0.7, 0.79)	(0.43, 0.8, 0.57)	(0.49, 0.6, 0.51)	(0.54, 0.4, 0.46)
C_6	(0.0, 0.1, 0.0)	(0.0, 0.11, 0.2)	(0.0, 0.20, 0.0)	(0.0, 0.19, 0.1)
C_7	(0.0, 0.7, 0.13)	(0.01, 0.1, 0.09)	(0.03, 0.2, 0.0)	(0.01, 0.3, 0.03)
C_8	(0.83, 0.7, 0.17)	(0.77, 0.6, 0.3)	(0.87, 0.3, 0.13)	(0.77, 0.89, 0.23)

TABLE 7. Suitable rating to each criterion in term of Neutrosophic by the decision makers

	A_5	A_6	A_7	A_8
C_1	(0.55, 0.86, 0.45)	(0.64, 0.9, 0.36)	(0.87, 0.5, 0.22)	(0.31, 0.6, 0.69)
C_2	(0.52, 0.81, 0.48)	(0.98, 1.0, 0.02)	(1.0, 0.98, 0.4)	(1.0, 0.7, 0.3)
C_3	(0.21, 0.9, 0.79)	(1.0, 1.0, 0.3)	(0.61, 1.0, 0.39)	(0.53, 0.31, 0.47)
C_4	(0.63, 0.4, 0.37)	(0.48, 0.51, 0.52)	(0.81, 0.47, 0.19)	(0.69, 0.31, 0.31)
C_5	(0.89, 0.3, 0.21)	(0.54, 0.37, 0.9)	(1.0, 0.9, 0.7)	(0.71, 0.63, 0.39)
C_6	(0.0, 0.2, 0.2)	(0.0, 0.3, 0.1)	(0.0, 0.13, 0.13)	(0.0, 0.17, 0.01)
C_7	(0.0, 0.7, 0.03)	(0.0, 0.1, 0.03)	(0.0, 0.0, 0.0)	(0.0, 0.1, 0.3)
C_8	(0.81, 0.9, 0.19)	(0.89, 0.7, 0.11)	(0.81, 0.9, 0.19)	(0.89, 0.7, 0.13)

TABLE 8. Suitable rating to each criterion in term of Neutrosophic by the decision makers

$$\begin{aligned}
 G^+_2 &= (1.00, 1.00, 0.53); G^-_2 = (0.47, 0.30, 0.10) \\
 G^+_3 &= (1.00, 1.00, 0.85); G^-_3 = (0.15, 0.30, 0.30) \\
 G^+_4 &= (0.80, 0.90, 0.65); G^-_4 = (0.35, 0.20, 0.19) \\
 G^+_5 &= (1.00, 0.90, 0.90); G^-_5 = (0.21, 0.30, 0.21) \\
 G^+_6 &= (0.00, 0.30, 0.20); G^-_6 = (0.00, 0.10, 0.00) \\
 G^+_7 &= (0.01, 0.70, 0.30); G^-_7 = (0.00, 0.00, 0.00) \\
 G^+_8 &= (0.89, 0.90, 0.23); G^-_8 = (0.77, 0.30, 0.11)
 \end{aligned}$$

Step 4: By using following formula and result is in Table9.

$$d(A, B) = \sqrt{(1\sqrt{3})[(a_1 + b_1)^2 + (a_2 + b_2)^2 + (a_3 + b_3)^2]}$$

Let $B_i = \frac{A_i}{d(G^+_{ij}, G^+_{ij}) d(G^-_{ij}, G^-_{ij})}$

Step 5: The average weight assigned against each criterion.

$$\begin{aligned}
 w_1 &= (0.51, 0.69, 0.49) w_2 = (0.76, 0.75, 0.34) w_3 = (0.50, 0.68, 0.54) \\
 w_4 &= (0.56, 0.47, 0.44) w_5 = (0.60, 0.59, 0.57) w_6 = (0.00, 0.18, 0.09) \\
 w_7 &= (0.01, 0.20, 0.09) w_8 = (0.83, 0.71, 0.18)
 \end{aligned}$$

	B_1	B_2	B_3	B_4
C_1	0.2496 0.2496	0.3563 0.2714	0.2173 0.3171	0.2915 0.2415
C_2	0.5069 0.2483	0.3119 0.2606	0.2743 0.4753	0.3709 0.2970
C_3	0.6357 0.4330	0.4291 0.3571	0.3663 0.4252	0.4746 0.3385
C_4	0.2242 0.4622	0.2242 0.3468	0.4365 0.2718	0.4601 0.2198
C_5	0.4748 0.4068	0.3846 0.3777	0.4091 0.2935	0.4673 0.2459
C_6	0.1633 0.000	0.1097 0.1156	0.1291 0.0577	0.0858 0.0777
C_7	0.0983 0.4111	0.3670 0.0779	0.3180 0.1236	0.2786 0.1742
C_8	0.1254 0.2361	0.1909 0.2050	0.3514 0.0589	0.0695 0.3476
	B_5	B_6	B_7	B_8
C_1	0.1988 0.2624	0.2070 0.3101	0.3563 0.2714	0.32190.2796
C_2	0.2994 0.3683	0.2947 0.5022	0.0756 0.5270	0.24780.4896
C_3	0.4610 0.5291	0.3175 0.6461	0.3482 0.5118	0.52960.3063
C_4	0.3468 0.2242	0.3044 0.2720	0.3635 0.3080	0.39920.2176
C_5	0.5317 0.3926	0.4052 0.4434	0.1155 0.6388	0.37290.3612
C_6	0.1291 0.1156	0.0577 0.1291	0.1061 0.0770	0.13290.0408
C_7	0.3958 0.0440	0.3799 0.0603	0.4397 0.000	0.34650.1826
C_8	0.0516 0.3502	0.1347 0.2411	0.516 0.3502	0.12910.2414

TABLE 9. Calculation of ideal distance as of Step: 2 of TOPSIS technique of MCDM

Step 6: Calculation of weight distance value by using formula:

$$D^+_i = \sum_{j=1}^m W_j \times d^+_{ij} \& D^-_i = \sum_{j=1}^m W_j \times d^-_{ij}$$

$$\begin{aligned}
 D^+_1 &= (1.3459, 1.5083, 1.0533) \& D^-_1 &= (1.2355, 1.3600, 0.9553) \\
 D^+_2 &= (1.1517, 1.3325, 0.9075) \& D^-_2 &= (1.1068, 1.1933, 0.8366) \\
 D^+_3 &= (1.2872, 1.3876, 0.9263) \& D^-_3 &= (1.1140, 1.3357, 0.9071) \\
 D^+_4 &= (1.2664, 1.3616, 1.0393) \& D^-_4 &= (0.8194, 0.9415, 0.6679) \\
 D^+_5 &= (1.1194, 1.2909, 0.9603) \& D^-_5 &= (1.3305, 1.4323, 0.9393) \\
 D^+_6 &= (1.0175, 1.1439, 0.8016) \& D^-_6 &= (1.4819, 1.6259, 1.1045) \\
 D^+_7 &= (1.1190, 1.2519, 0.7562) \& D^-_7 &= (1.6413, 1.7147, 1.1581) \\
 D^+_8 &= (1.1752, 1.3606, 0.9826) \& D^-_8 &= (1.2075, 1.2975, 0.8330)
 \end{aligned}$$

Thus

$$UD^+ = (1.3459, 1.5083, 1.0533) \quad , \quad LD^+ = (1.0175, 1.1439, 0.7562)$$

$$UD^- = (1.6413, 1.7147, 1.1581), LD^- = (0.8194, 0.9415, 0.6679)$$

Step 7: Find by using distance formula

$$d(A, B) = \sqrt{(1/3)[(a_1 + b_1)^2 + (a_2 + b_2)^2 + (a_3 + b_3)^2]}$$

$$d(D^+_1, UD^+) = 0 \quad \quad d(D^+_1, LD^+) = 0.3311$$

$$\begin{aligned}
d(D^+_2, UD^+) &= 0.1731 & d(D^+_2, LD^+) &= 0.1597 \\
d(D^+_3, UD^+) &= 0.1067 & d(D^+_3, LD^+) &= 0.2317 \\
d(D^+_4, UD^+) &= 0.0967 & d(D^+_4, LD^+) &= 0.2567 \\
d(D^+_5, UD^+) &= 0.189 & d(D^+_5, LD^+) &= 0.1567 \\
d(D^+_6, UD^+) &= 0.3183 & d(D^+_6, LD^+) &= 0.0262 \\
d(D^+_7, UD^+) &= 0.2617 & d(D^+_7, LD^+) &= 0.0856 \\
d(D^+_8, UD^+) &= 0.1366 & d(D^+_8, LD^+) &= 0.2026 \\
d(D^-_1, UD^-) &= 0.3325 & d(D^-_1, LD^-) &= 0.3790 \\
d(D^-_2, UD^-) &= 0.4694 & d(D^-_2, LD^-) &= 0.2412 \\
d(D^-_3, UD^-) &= 0.4019 & d(D^-_3, LD^-) &= 0.3159 \\
d(D^-_4, UD^-) &= 0.7103 & d(D^-_4, LD^-) &= 0.0 \\
d(D^-_5, UD^-) &= 0.2734 & d(D^-_5, LD^-) &= 0.4381 \\
d(D^-_6, UD^-) &= 0.1098 & d(D^-_6, LD^-) &= 0.6050 \\
d(D^-_7, UD^-) &= 0.0 & d(D^-_7, LD^-) &= 0.7103 \\
d(D^-_8, UD^-) &= 0.3949 & d(D^-_8, LD^-) &= 0.3187
\end{aligned}$$

Step 8: From the previous distance values A_i^+ and A_i^- calculated by formula as shown in Table 10.

$A_i^+ = d(D^+_i, LD^+) + d(D^-_i, UD^-)$	$A_i^- = d(D^+_i, UD^+) + d(D^-_i, LD^-)$
$A_1^+ = 0.3311 + 0.3325 = 0.6636$	$A_1^- = 0.0 + 0.3790 = 0.3790$
$A_2^+ = 0.1597 + 0.4694 = 0.6291$	$A_2^- = 0.1731 + 0.2412 = 0.4143$
$A_3^+ = 0.2317 + 0.4019 = 0.6336$	$A_3^- = 0.1067 + 0.3159 = 0.4226$
$A_4^+ = 0.2513 + 0.7103 = 0.9616$	$A_4^- = 0.0967 + 0.0 = 0.0967$
$A_5^+ = 0.1567 + 0.2734 = 0.4301$	$A_5^- = 0.1890 + 0.4381 = 0.6271$
$A_6^+ = 0.0262 + 0.1098 = 0.1360$	$A_6^- = 0.3183 + 0.6050 = 0.9233$
$A_7^+ = 0.0856 + 0.0000 = 0.0851$	$A_7^- = 0.2617 + 0.7103 = 0.9720$
$A_8^+ = 0.2026 + 0.3949 = 0.5975$	$A_8^- = 0.1366 + 0.3187 = 0.4553$

TABLE 10. Calculations of Positive and Negative ideal solution

Step 9: Finally evaluated results are given by calculating $A_i^* = \frac{A_i^-}{A_i^- + A_i^+}$

$$A_1 = 0.3635, A_2 = 0.3971, A_3 = 0.4001, A_4 = 0.0914,$$

$$A_5 = 0.5932, A_6 = 0.8716, A_7 = 0.9191, A_8 = 0.4325$$

Clearly, $A_7 > A_6 > A_5 > A_8 > A_3 > A_2 > A_1 > A_4$, and the best performance is by A_7 =Croatia as shown in Figure 5.

Strategy	Final value	Predicted Rank	Actual Rank
A_1	0.3635	7	6
A_2	0.3971	6	7
A_3	0.4001	5	5
A_4	0.0914	8	8
A_5	0.5932	3	4
A_6	0.8716	2	1
A_7	0.9191	1	2
A_8	0.4325	4	3

TABLE 11. Final result by Generalized Fuzzy TOPSIS vs Actual Rankings of the fallout of FIFA 2018




FIGURE 5. Comparison of Predicted Rank by Generalized Fuzzy TOPSIS and Actual fallout results of FIFA 2018

4. RESULT DISCUSSION

The illustration of the game soccer and prediction of FIFA 2018 has been dealt with. As the stats of each team were neither the same nor closed. Thus, an MCDM (Multi-Criteria Decision Making) approaches, TOPSIS and Generalized Fuzzy TOPSIS are considered in the prediction model. The prediction model is based on alternatives which are teams and attributes of each team. The results have been shown in the Table 4, Table 11 and Table 12 while graphically represented in Figure 5 and Figure 6 respectively.

In Table 12, all the outcomes are shown. Results of Fuzzy TOPSIS shows that the alternative taken as A_1 have maximum chances to win FIFA 2018 which are quite different from

Teams	A_1	A_2	A_3	A_4	A_5	A_6	A_7	A_8
Predicted Rank by TOPSIS	8	6	3	5	7	1	2	4
P-Rank by G- Fuzzy TOPSIS	7	6	5	8	3	2	1	4
Actual Rank	6	7	5	8	4	1	2	3

TABLE 12. Comparison of Fallout of FIFA 2018l vs TOPSIS vs Generalized Fuzzy TOPSIS technique results




FIGURE 6. Comparison of Fallout of FIFA 2018l vs TOPSIS vs Generalized Fuzzy TOPSIS technique

the actual ranking of the fallout of FIFA but when we consider all the precise and vague values in term of Neutrosophic the predicted ranks are approximately the same if we consider more attribute true prediction can be done. To this end, an individual match chart displays individual measurements. The results have shown in the Figure 6.

5. CONCLUSION

The main purpose of this study was to predict the results for the rest of the matches of the FIFA 2018 world cup based on current match statistics till quarterfinals. It was a hard task to predict soccer match results since it was relying on several factors, such as weather conditions and players performance as well as various actors and unforeseen situations. So, such research requires the MCDM approach as this approach can calculate and predict taking various factors into consideration. In this research, the TOPSIS technique of MCDM and Generalized Fuzzy TOPSIS were applied to the statistics which have been collected from matches till quarterfinals. Both the mathematical techniques resulted in rankings of

teams. After the fallout of FIFA 2018, the predicted results were compared with the actual rankings of the teams as in Table 12, which showed that predicted results of generalized Fuzzy TOPSIS were approximately similar to the actual rankings. This research was limited to eight attributes which led us to the predicted results. In addition, predicting results can be more accurate by considering even more attributes. Therefore, the findings of this research are the application of both mathematical techniques. In the future, the application of these approaches can be used to predict the fallout of soccer matches as well as all those sports involving several factors in determining the results.

6. ACKNOWLEDGMENTS

The authors are highly thankful to the Editor-in-chief and the referees for their valuable comments and suggestions for improving the quality of our paper.

This paper was presented in 4th UMT International Conference on Pure and Applied Mathematics (4th UICPAM 2018).

REFERENCES

- [1] A. Adeel, M. Akram and Ali N. A. Koam, *Group Decision-Making Based on m-Polar Fuzzy Linguistic TOPSIS Method*, *Symmetry* **11**, No. 735 (2019) 1-20. doi:10.3390/sym11060735
- [2] M. Akram and M. Arshad, *A Novel Trapezoidal Bipolar Fuzzy TOPSIS Method for Group Decision-Making*, *Group Decision and Negotiation* (2018), <https://doi.org/10.1007/s10726-018-9606-6>.
- [3] F. E. Boran, S. Genc, M. Kurt and D. Akay, *A multi-criteria intuitionistic fuzzy group decision making for supplier selection with TOPSIS method*, *Expert Systems with Applications* **36**, No. 8 (2009) 11363-11368.
- [4] M. Crowder, M. Dixon, A. Ledford and M. Robinson, *Dynamic Modelling and prediction of English Football League matches for betting*, *Journal of the Royal Statistical Society* **51**, No. 2 (2002) 157-168.
- [5] M. J. Dixon and S. G. Coles, *Modelling association football scores and inefficiencies in the football betting market*, *Journal of the Royal Statistical Society: Series C (Applied Statistics)* **46**, No. 2 (1997) 265-280.
- [6] S. Eraslan and F. Karaaslan, *A group decision making method based on topsis under fuzzy soft environment*, *Journal of New Theory* **3**, No. (2015) 30-40.
- [7] J. M. Falter and C. Prignon, *Demand for football and intra match winning probability: an essay on the glorious uncertainty of sports*, *Applied Economics* **32**, No. 13 (2000) 1757-1765.
- [8] D. Forrest and R. Simmons, *Outcome uncertainty and attendance demand in sport: the case of English soccer*, *The Statistician* **51**, No. 2 (2002) 291-241.
- [9] J. Goddard and I. Asimakopoulos, *Forecasting football results and the efficiency of fixed odds betting*, *Journal of Forecasting* **23**, No. 1 (2004) 51-66.
- [10] J. Goddard, *Regression models for forecasting goals and match results in association football*, *International Journal of forecasting* **21**, No. 2 (2005) 331-340.
- [11] A. Grunz, D. Memmert and J. Perl, *Tactical pattern recognition in soccer games by means of special self-organizing maps*, *Human Movement Science* **31**, No. 2 (2012) 334-343.
- [12] F. Halicioglu, *Can we predict the outcome of the international football tournaments: The Case of EURO 2000*, *Dogus University Journal* **6**, No. 1 (2005) 5969.
- [13] L. M. Hvattum, and H. Arntzen, *Using ELO ratings for match result prediction in association football*, *International Journal of forecasting* **26**, No. 3 (2010) 460-470.
- [14] A. Joseph, N. E. Fenton and M. Neil, *Predicting football results using Bayesian nets and other machine learning techniques*, *Knowledge-Based Systems* **19**, No. 7 (2006) 544-553.
- [15] D. Karlis and I. Ntzoufras, *On Modelling Association Football Data*, *Technical Report*, Department of Statistics, AUEB (1999).
- [16] R. H. Koning, *Balance in competition in Dutch soccer*, *Journal of the Royal Statistical Society: Series D (The Statistician)* **49**, No. 3 (2000) 419-431.
- [17] R. H. Koning, M. Koolhaas, G. Renes and G. Ridder, *A Simulation Model for Football Championships*, *European Journal of Operational Research* **148**, No. 2 (2003) 268-276.

- [18] K. Kumar and H. Garg, *TOPSIS method based on the connection number of set pair analysis under interval-valued intuitionistic fuzzy set environment* Computational and Applied Mathematics **37**, No. 2 (2018), 1319-1329.
- [19] P. K. Maji, *Neutrosophic soft set*, Annals of Fuzzy Mathematics and Informatics **5**, No. 1 (2013) 157-168.
- [20] B. Min, J. Kim, C. Choe, H. Eom and R. I. McKay, *A compound framework for sports results prediction: A football case study*, Knowledge-Based Systems **21**, No. 7 (2008) 551-562.
- [21] X. D. Peng and J. Dai, *Approaches to single-valued neutrosophic MADM based on MABAC, TOPSIS and new similarity measure with score function*, Neural Computing and Applications **29**, No. 10 (2018) 939-954.
- [22] A. R. Rotshtein, M. Posner and A. B. Rakityanskaya, *Football predictions based on a fuzzy model with genetic and neural tuning*, Cybernetics and Systems Analysis **41**, No. 4 (2005) 619-630.
- [23] M. Riaz and K. Naeem, *Measurable Soft Mappings*, Punjab Univ. j. math. **48**, No. 2 (2016) 19-34.
- [24] M. Riaz, K. Naeem and M. O. Ahmad, *Novel Concepts of Soft Sets with Applications*, Annals of Fuzzy Mathematics and Informatics **13**, No. 2 (2017) 239-251.
- [25] M. Riaz and M. R. Hashmi, *Fuzzy parameterized fuzzy soft compact spaces with decision-making*, Punjab Univ. J. math. **50**, No. 2 (2018) 131-145.
- [26] M. Riaz and M. R. Hashmi, *Fixed points of fuzzy neutrosophic soft mapping with decision-making*, Fixed Point Theory and Applications **7**, (2018) 1-10.
- [27] M. Riaz, M. R. Hashmi and A. Farooq, *Fuzzy parameterized fuzzy soft metric spaces*, Journal of Mathematical Analysis **9**, No. 2 (2018) 25-36.
- [28] M. Riaz, F. Samrandache, A. Firdous and F. Fakhar, *On Soft Rough Topology with Multi-Attribute Group Decision Making*, Mathematics **7**, No. 67 (2019) DOI:10.3390/math7010067.
- [29] M. Riaz, B. Davvaz, A. Firdous and F. Fakhar, *Novel Concepts of Soft Rough Set Topology with Applications*, Journal of Intelligent & Fuzzy Systems **36**, No. 4 (2019) 3579-3590. DOI:10.3233/JIFS-181648.
- [30] M. Riaz, N. Çağman, I. Zareef and M. Aslam, *N-Soft Topology and its Applications to Multi-Criteria Group Decision Making*, Journal of Intelligent & Fuzzy Systems **36**, No. 6 (2019) 6521-6536. DOI:10.3233/JIFS-182919.
- [31] M. Riaz and S. T. Tehrim, *Certain properties of bipolar fuzzy soft topology via Q-neighborhood*, Punjab Univ. j. math. **51**, No. 3 (2019) 113-131.
- [32] M. Riaz and S. T. Tehrim, *Cubic bipolar fuzzy ordered weighted geometric aggregation operators and their application using internal and external cubic bipolar fuzzy data*, Computational & Applied Mathematics **38**, No. 87 (2019) 1-25. DOI.org/10.1007/s40314-019-0843-3.
- [33] M. Riaz and S. T. Tehrim, *Multi-attribute group decision making based cubic bipolar fuzzy information using averaging aggregation operators*, Journal of Intelligent & Fuzzy Systems (In Press) (2019). DOI:10.3233/JIFS-182751.
- [34] M. Riaz, M. Saeed, M. Saqlain and N. Jafar, *Impact of Water Hardness in Instinctive Laundry System Based on Fuzzy Logic Controller*, Punjab Univ. j. math. **51**, No. 4 (2019) 73-84.
- [35] M. Saqlain, N. Jafar, M. Rashid and A. Shahzad, *Prediction of Cricket World Cup 2019 by TOPSIS Technique of MCDM-A Mathematical Analysis*, International Journal of Scientific & Engineering Research **10**, No. 2 (2019) 789-792.
- [36] H. Rue and O. Salvesen, *Prediction and retrospective analysis of soccer matches in a league*, Journal of the Royal Statistical Society: Series D (The Statistician) **49**, No. 3 (2000) 399-418.
- [37] G. Selvachandran and X. D. Peng, *A modified TOPSIS method based on vague parameterized vague soft sets and its application to supplier selection problems*, Neural Computing and Applications (2018) 1-16. doi.org/10.1007/s00521-018-3409-1
- [38] F. Smarandache, *Neutrosophic set - a generalization of the intuitionistic fuzzy set*, International Journal of Pure and Applied Mathematics **24**, No. 3 (2005) 287-297.
- [39] Z. Xu and X. Zhang, *Hesitant fuzzy multi-attribute decision-making based on TOPSIS with incomplete weight information*, Knowledge-Based Systems **52**, (2013) 53-64.
- [40] X. Zhang and Z. Xu, *Extension of TOPSIS to multiple criteria decision making with pythagorean fuzzy sets*, International Journal of Intelligent Systems **29**, (2014) 1061-1078.